

COVID-19 Focused Infection Control Audit Tool

OP	ERATIONAL ELEMENTS:	M	ET?
Inf	ection Prevention and Control Plan (IPCP)		
•	Is the agency monitoring patients for COVID exposure and/or symptoms?	Υ	N
•	Are staff screened for symptoms routinely?	Υ	N
•	A process is in place to address identified potential positive patients.	Υ	N
•	The agency is aware of staff/patients who are at higher risk and take appropriate action	Υ	N
•	The organization communicates with local/state public health officials	Υ	N
•	The organization has a process for screening of referrals for COVID-19 potential	Υ	N
Co	mmunication		
•	A process is in place to provide updates on COVID-19 to all staff	Υ	N
PP	E Availability		
•	Internal staff have access to PPE	Υ	N
•	Field Staff have access to PPE	Υ	N
•	Any shortage of PPE has resulted in appropriate steps to obtain supplies ASAP	Υ	N
•	Staff have been taught optimizing measures in instances of PPE shortage	Υ	N
Sta	ffing in Emergencies		
•	Agency has a policy/procedure to ensure staffing to meet patient needs in an emergency	Υ	N
•	The agency has implemented their emergency staffing plan if needed	Υ	N
На	ndling Staff Exposure or Illness		
•	Agency has a process for staff to report symptoms or potential illness	Υ	N
•	Agency has process for tracing contacts of staff who develop symptoms or test positive	Υ	N
•	Agency follows current CDC/health department guidance regarding return to work	Υ	N
•	Documentation reflects appropriate actions for employees exposed or tested positive	Υ	N
	ENCY LOCATION PRACTICES		
	eening process for those entering agency	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	<u> </u>
•	Agency conducts screening process for all staff prior to or at the start of their shift	Υ	N
•	Exposure to COVID-19 screening questions	Y	N
•	Assessment of symptoms	Υ	N
	ernal office staff/visitors' processes		
•	Ability to conduct hand hygiene	Y	
•	Proper use of mask and social distancing	Y	N
•	Appropriate disinfection of common areas	Υ	N
Ge	neral Standard Precautions	.,	
•	Staff perform appropriate respiratory hygiene/cough etiquette	Υ	N
•	Staff perform appropriate environmental cleaning and disinfection	Υ	N
•	Staff appropriately cleanse reusable patient medical equipment	Υ	N
Tra	Insmission Based Precautions		
•	Staff wear masks when entering and within agency	Υ	N
•	Staff appropriately social distance	Υ	N
•	Signage posted at agency entrance addresses handwashing, mask use and cough etiquette	Υ	N



COVID-19 Focused Infection Control Audit Tool

FIE	LD PRACTICES:		
Scr	eening		
•	Staff conduct self-monitoring practices before beginning to see patients each day – symptoms/temperature	Υ	
,	Staff conduct symptom and exposure screening for each patient and/or family	Υ	
,	Staff correctly report patients/family who develop symptoms, test positive, or have an exposure	Υ	
ła	nd Hygiene		
,	Alcohol-based hand rub (ABHR) is utilized unless hands are visibly soiled	Υ	
,	In shortages of ABHR, staff use appropriate process for soap and water hand hygiene	Υ	
•	Hand hygiene is performed	Υ	
	Before and after contact with patients	Υ	
	After contact with blood, body fluids, or visibly contaminated surfaces	Υ	
	 After removing PPE (gloves, gown, eye protection, facemask) 	Υ	
	Before performing a procedure such as medication preparation or wound care	Υ	
•	Hand hygiene supplies are readily available	Υ	
Js	e of PPE is appropriate		
•	Gloves are worn if potential contact with potentially contaminated skin or equipment	Υ	
•	Gloves are removed following contact with potentially contaminated skin or equipment	Υ	
•	Gloves are changed & hand hygiene performed in moving from contaminated to clean site	Υ	
•	Isolation gown is worn for direct patient contact if the patient has uncontained secretions	Υ	
•	Appropriate mouth, nose and eye protection along with gowns are worn for patient care	Υ	
	activities likely to involve splashes or sprays of bodily fluids/secretions		
•	Unless additional source control is needed, facemasks are worn by all staff	Υ	
•	Extended/reuse of PPE is according to national/local guidelines	Υ	
•	Reused PPE is appropriately cleaned/stored/maintained after and/or between uses	Υ	
۹e	rosol-Generating Procedures		
•	Appropriate mask (N95 or higher) is worn, as well as gloves, clothing, eye protection	Υ	
•	Procedures likely to induce coughing - N95 or higher respirator, eye protection, gloves, and a gown are worn	Υ	
•	Limit number of people in the room	Υ	
•	Conduct in private room with door closed	Υ	
•	Procedure surfaces are disinfected promptly with EPA-registered disinfectant	Υ	
Ed	ucation		
•	Have patients/family been educated on mitigating transmission of COVID-19	Υ	
	Agency has educated staff on SARS-CoV-2 and COVID-19 (symptoms, transmission,	Υ	
•	- · · · · · · · · · · · · · · · · · · ·	1	

Information for tool abstracted from CMS QSO-21-08-NLTC